



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #268
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 915MHz
Model: RFM95-915S2(13dBm)
Manufacturer:

Polarization: Horizontal
Power Source: DC 3.3V
Date: 2013/12/30
Time: 16:58:13
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	903.1253	97.50	1.29	98.79	46.00	52.79	peak			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #269
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 915MHz
Model: RFM95-915S2(13dBm)
Manufacturer:

Polarization: Vertical
Power Source: DC 3.3V
Date: 2013/12/30
Time: 16:59:05
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	903.1253	99.29	1.29	100.58	46.00	54.58	peak			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #254
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 915MHz
Model: RFM95-915S2(13dBm)
Manufacturer:

Polarization: Horizontal
Power Source: DC 3.3V
Date: 2013/12/30
Time: 16:26:18
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1814.728	64.76	-9.89	54.87	74.00	-19.13	peak			
2	1814.728	59.47	-9.89	49.58	54.00	-4.42	AVG			
3	2735.643	56.90	-6.17	50.73	74.00	-23.27	peak			
4	2735.643	51.36	-6.17	45.19	54.00	-8.81	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #255
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 915MHz
Model: RFM95-915S2(13dBm)
Manufacturer:

Polarization: Vertical
Power Source: DC 3.3V
Date: 2013/12/30
Time: 16:27:36
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1814.728	65.64	-9.89	55.75	74.00	-18.25	peak			
2	1814.728	60.87	-9.89	50.98	54.00	-3.02	AVG			